

Package: lintrall (via r-universe)

September 30, 2026

Type Package

Title Generate a lintr configuration file

Version 0.0.0.9000

Description Generate a lintr configuration file with all of the
linters explicitly enabled and documented.

License MIT + file LICENSE

Encoding UTF-8

Roxygen list(markdown = TRUE)

RoxygenNote 7.3.2

Imports lintr, tools

Config/pak/sysreqs libxml2-dev

Repository <https://timtaylor.r-universe.dev>

Date/Publication 2024-07-12 20:05:10 UTC

RemoteUrl <https://github.com/TimTaylor/lintrall>

RemoteRef HEAD

RemoteSha 4c8625aab843985cf2a5ea7735aeff38d95ed120

RemoteSubdir pkg

Contents

use_all_linters	2
Index	3

use_all_linters	<i>Setup a lintr configuration file with all linters explicitly enabled</i>
-----------------	---

Description

Setup a lintr configuration file with all linters explicitly enabled

Usage

```
use_all_linters(..., dir = ".", overwrite = FALSE)
```

Arguments

...	Not currently used.
dir	Directory to create the .lintr.R file within.
overwrite	Should an existing .lintr.R file be overwritten.

Examples

```
dir <- tempdir()
f <- try(use_all_linters(dir = dir))
if (!inherits(f, "try-error")) {
  unlink(f)
}
```

Index

`use_all_linters`, [2](#)